



awex®

EMERGENCY LIGHTING

VERSION 22.1

DES & SPECIAL LUMINAIRES

EMERGENCY LIGHTING

Contents

1	IK family	2
1.1	IK B	2
1.2	IK B DES	4
1.3	IK B accessories	6
1.3.1	Accessory for pendant mounting IKB/PEN	6
1.3.2	Cover IKB/BCK	6
1.3.3	Concrete box IKB/RWC	7
1.3.4	Ceiling bracket 2948	7
2	ESCAPELITE family	8
2.1	ESCAPELITE	8
2.2	ESCAPELITE S (W TOKU, PROJEKT NIE JEST GOTOWY)	11
2.3	ESCAPELITE L	13
2.4	ESCAPELITE S DES	15
2.5	ESCAPELITE L DES	16
3	WALL family	17
3.1	WALL - E	17
3.2	WALL - LINE	19
3.3	WALL SEG	21
3.4	WALL SEG accessories	23
3.4.1	Two – sided ceiling bracket WLES/AC	23
3.4.2	Two – sided wall bracket WLES/AW	23
3.4.3	Accessory for pendant mounting WLES/PEN	24
3.4.4	Ceiling bracket 1905	24
3.4.5	Wall bracket 1908	25
3.4.6	Wire guard	25
3.4.7	Ceiling bracket with pipe 2947	26
4	FLAT family	27
4.1	FLAT - EYE	27

1 IK family

1.1 IK B



Photography 1. IK B fixture

SELF- CONTAINED CONFIGURATION							
CODE	POWER	MODULE	AUTONOMY [h]	MOD E	OPTION S	COLOR	PICTOGRAM
IKB	2W	B	1, 3	SA, SE	AT, RU, RD	SR, WH, GR, BL	XX

CENTRAL BATTERY CONFIGURATION NON - ADDRESSABLE						
CODE	POWER	MODULE	SYSTEM	OPTIONS	COLOR	PICTOGRAM
IKB	2W	F	CB	CBS, X	SR, WH, GR, BL	XX

CENTRAL BATTERY CONFIGURATION ADDRESSABLE						
CODE	POWER	MODULE	SYSTEM	OPTIONS	COLOR	PICTOGRAM
IKB	2W	Z	CB	ADE	SR, WH, GR, BL	XX

FZLV SYSTEM CONFIGURATION				
CODE	POWER	SYSTEM	COLOR	PICTOGRAM
IKB	2W	FZLV, FZLV2	SR, WH, GR, BL	XX

LEGEND:

IKB - fixture IK B IP65
B - electronic gear for PREMIUM self-contained fittings
F - electronic gear for central battery fittings
Z - electronic gear for addressable central battery fittings
SE - non maintained
SA - maintained
AT - autotest
RU - Rubic UNA central monitoring
RD - Rubic DALI central monitoring
FZLV - central battery FZLV 24 VDC
FZLV2 - central battery FZLV II 48 VDC
CB - central battery version monitoring
CBS - central battery for circuit monitoring
ADP address module for CBS 1.0 – SMART technology
ADE address module for CBS 2.0 – SMART technology
SR - stainless steel
WH - white color
GR - grey color
BL - black color
WW - pictograms ID (e.g. 21)

1.2 IK B DES



Photography 2. IK B DES IP65 fixture



Photography 3. IK DES IP20 fixture

CENTRAL BATTERY CONFIGURATION ADDRESSABLE					
CODE	POWER	MODULE	SYSTEM	OPTIONS	COLOR
IK2BD	5W	Z	CB	ADDX	SR, WH, GR, BL
IK2BED					
IK8BD					
IK8BED					


FZLV SYSTEM CONFIGURATION			
CODE	POWER	SYSTEM	COLOR
IK2BD	5W	FZLV2	SR, WH, GR, BL
IK2BED			
IK8BD			
IK8BED			

LEGEND:

IK2BD - dynamic fixture IK B 2K IP65
 IK2BED - dynamic fixture IK B 2K IP20
 IK8BD - dynamic fixture IK B 8K IP65
 IK8BED - dynamic fixture IK B 8K IP20
 FZLV2 - central battery FZLV II 48 VDC
 CB - central battery version monitoring
 SR - stainless steel
 WH - white color
 GR - grey color
 BL - black color

1.3 IK B accessories

1.3.1 Accessory for pendant mounting IKB/PEN



Photography 4. IKB/PEN/WH

1.3.2 Cover IKB/BCK



Photography 5. IKB/BCK/WH

1.3.3 Concrete box IKB/RWC



Photography 6. IKB/RWC/WH

1.3.4 Ceiling bracket 2948




Photography 7. 2948/WH

2 ESCAPELITE family

2.1 ESCAPELITE



Photography 8. ESCAPELITE(ESC) fixture



Photography 9. ESCAPELITE 50(ESC50) fixture

SELF- CONTAINED CONFIGURATION							
CODE	POWER	MODULE	AUTONOMY [h]	MOD E	OPTION S	COLOR	PICTOGRAM
ESC	3W	B	1, 3	SA, SE	AT, RU, RD	SR, WH, GR, BL	XX, YY
ESC50	6W						

CENTRAL BATTERY CONFIGURATION NON - ADDRESSABLE						
CODE	POWER	MODULE	SYSTEM	OPTIONS	COLOR	PICTOGRAM
ESC	3W	F	CB	CBS, X	SR, WH, GR, BL	XX, YY
ESC50	6W					

CENTRAL BATTERY CONFIGURATION ADDRESSABLE						
CODE	POWER	MODULE	SYSTEM	OPTIONS	COLOR	PICTOGRAM
ESC	3W	Z	CB	ADE	SR, WH, GR, BL	XX, YY
ESC50	6W					

FZLV SYSTEM CONFIGURATION				
CODE	POWER	SYSTEM	COLOR	PICTOGRAM
ESC	3W	FZLV2	SR, WH, GR, BL	XX, YY
ESC50	6W			

LEGEND:

ESC - fixture ESCAPELITE two - sided
ESC50 - fixture ESCAPELITE 50 two - sided
B - electronic gear for PREMIUM self-contained fittings
F - electronic gear for central battery fittings
Z - electronic gear for addressable central battery fittings
SE - non maintained
SA - maintained
X - fitting without additional options
AT - autotest
RU - Rubic UNA central monitoring
RD - Rubic DALI central monitoring
FZLV - central battery FZLV 24 VDC
FZLV2 - central battery FZLV II 48 VDC
CB - central battery version monitoring
CBS - central battery for circuit monitoring
ADP address module for CBS 1.0 – SMART technology
ADE address module for CBS 2.0 – SMART technology
SR - stainless steel
WH - white color
GR - grey color
BL - black color
WW - pictograms ID (e.g. 21)
XX - pictograms ID (e.g. 21)

2.2 ESCAPELITE S (W TOKU, PROJEKT NIE JEST GOTOWY)



Photography 10. ESCAPELITE S fixture

SELF- CONTAINED CONFIGURATION							
CODE	POWER	MODULE	AUTONOMY [h]	MOD E	OPTION S	COLOR	PICTOGRAM
ESCS	3W	B	1, 3	SA, SE	AT, RU, RD	SR, WH, GR, BL	XX,

CENTRAL BATTERY CONFIGURATION NON - ADDRESSABLE						
CODE	POWER	MODULE	SYSTEM	OPTIONS	COLOR	PICTOGRAM
ESCS	3W	F	CB	CBS, X	SR, WH, GR, BL	XX

CENTRAL BATTERY CONFIGURATION ADDRESSABLE						
CODE	POWER	MODULE	SYSTEM	OPTIONS	COLOR	PICTOGRAM
ESCS	3W	Z	CB	ADE	SR, WH, GR, BL	XX

FZLV SYSTEM CONFIGURATION				
CODE	POWER	SYSTEM	COLOR	PICTOGRAM
ESCS	3W	FZLV2	SR, WH, GR, BL	XX

LEGEND:

ESCS- fixture ESCAPELITE S
B - electronic gear for PREMIUM self-contained fittings
F - electronic gear for central battery fittings
Z - electronic gear for addressable central battery fittings
SE - non maintained
SA - maintained
X - fitting without additional options
AT - autotest
RU - Rubic UNA central monitoring
RD - Rubic DALI central monitoring
FZLV - central battery FZLV 24 VDC
FZLV2 - central battery FZLV II 48 VDC
CB - central battery version monitoring
CBS - central battery for circuit monitoring
ADP address module for CBS 1.0 – SMART technology
ADE address module for CBS 2.0 – SMART technology
SR - stainless steel
WH - white color
GR - grey color
BL - black color
WW - pictograms ID (e.g. 21)
XX - pictograms ID (e.g. 21)
YY - pictograms ID (e.g. 21)

2.3 ESCAPELITE L



Photography 11. ESCAPELITE L fixture

SELF- CONTAINED CONFIGURATION							
CODE	POWER	MODULE	AUTONOMY [h]	MOD E	OPTION S	COLOR	PICTOGRAM
ESCL	6W	B	1, 3	SA, SE	AT, RU, RD	SR, WH, GR, BL	XX, YY

CENTRAL BATTERY CONFIGURATION NON - ADDRESSABLE						
CODE	POWER	MODULE	SYSTEM	OPTIONS	COLOR	PICTOGRAM
ESCL	6W	F	CB	CBS, X	SR, WH, GR, BL	XX, YY


CENTRAL BATTERY CONFIGURATION ADDRESSABLE						
CODE	POWER	MODULE	SYSTEM	OPTIONS	COLOR	PICTOGRAM
ESCL	6W	Z	CB	ADE	SR, WH, GR, BL	XX, YY

FZLV SYSTEM CONFIGURATION				
CODE	POWER	SYSTEM	COLOR	PICTOGRAM
ESCL	6W	FZLV2	SR, WH, GR, BL	XX, YY

LEGEND:

ESCL- fixture ESCAPELITE L two – sided
B - electronic gear for PREMIUM self-contained fittings
F - electronic gear for central battery fittings
Z - electronic gear for addressable central battery fittings
SE - non maintained
SA - maintained
X - fitting without additional options
AT - autotest
RU - Rubic UNA central monitoring
RD - Rubic DALI central monitoring
FZLV - central battery FZLV 24 VDC
FZLV2 - central battery FZLV II 48 VDC
CB - central battery version monitoring
CBS - central battery for circuit monitoring
ADP address module for CBS 1.0 – SMART technology
ADE address module for CBS 2.0 – SMART technology
SR - stainless steel
WH - white color
GR - grey color
BL - black color
WW - pictograms ID (e.g. 21)
XX - pictograms ID (e.g. 21)
YY - pictograms ID (e.g. 21)

2.4 ESCAPELITE S DES



Photography 12. ESCAPELITE DES fixture


CENTRAL BATTERY CONFIGURATION ADDRESSABLE					
CODE	POWER	MODULE	SYSTEM	OPTIONS	COLOR
ESCS2	5W	Z	CB	ADDX	SR, WH, GR, BL
ESCS8					

FZLV SYSTEM CONFIGURATION			
CODE	POWER	SYSTEM	COLOR
ESCS2	5W	FZLV2	SR, WH, GR, BL
ESCS8			

LEGEND:

ESCS2 - dynamic fixture ESCAPELITE 2K DES
 ESCS8 - dynamic fixture ESCAPELITE 8K DES
 FZLV2 - central battery FZLV II 48 VDC
 CB - central battery version monitoring
 SR - stainless steel
 WH - white color
 GR - grey color
 BL

2.5 ESCAPELITE L DES



Photography 13. ESCAPELITE L 8K DES fixture

CENTRAL BATTERY CONFIGURATION ADDRESSABLE					
CODE	POWER	MODULE	SYSTEM	OPTIONS	COLOR
ESCL2	2x5W	Z	CB	ADDX	SR, WH, GR, BL
ESCL8					

FZLV SYSTEM CONFIGURATION			
CODE	POWER	SYSTEM	COLOR
ESCL2	2x5W	FZLV2	SR, WH, GR, BL
ESCL8			

LEGEND:

ESCL2D - dynamic fixture ESCAPELITE L 2K DES two - sided

ESCL8D - dynamic fixture ESCAPELITE L 8K DES two - sided

FZLV2 - central battery FZLV II 48 VDC

CB - central battery version monitoring

SR - stainless steel

WH - white color

GR - grey color

BL - black color

3 WALL family

3.1 WALL - E



Photography 14. WALL-E fixture

SELF- CONTAINED CONFIGURATION						
CODE	POWER	MODULE	AUTONOMY [h]	MOD E	OPTION S	COLOR
WLE	2W	B	1, 3	SE	RU,	SR, WH, GR, BL

CENTRAL BATTERY CONFIGURATION ADDRESSABLE					
CODE	POWER	MODULE	SYSTEM	OPTIONS	COLOR
WLE	2W	Z	CB	ADD	SR, WH, GR, BL

FZLV SYSTEM CONFIGURATION			
CODE	POWER	SYSTEM	COLOR
WLE	2W	FZLV2	SR, WH, GR, BL

LEGEND:

WLE - dynamic fixture WALL-E
B - electronic gear for PREMIUM self-contained fittings
Z - electronic gear for addressable central battery fittings
SE - non maintained
ADD - fixture for CBS central battery
RU - Rubic UNA central monitoring
FZLV2 - central battery FZLV II 48 VDC
CB - central battery version monitoring
SR - stainless steel
WH - white color
GR - grey color
BL - black color

3.2 WALL - LINE



Photography 15. WALL LINE fixture

SELF- CONTAINED CONFIGURATION						
CODE	POWER	MODULE	AUTONOMY [h]	MOD E	OPTION S	COLOR
WLL	4W	B	-	SE	RU	SR, WH, GR, BL

CENTRAL BATTERY CONFIGURATION ADDRESSABLE					
CODE	POWER	MODULE	SYSTEM	OPTIONS	COLOR
WLL	4W	Z	CB	ADD	SR, WH, GR, BL

FZLV SYSTEM CONFIGURATION			
CODE	POWER	SYSTEM	COLOR
WLL	4W	FZLV2	SR, WH, GR, BL

LEGEND:

WLL - dynamic fixture WALL LINE

B - electronic gear for PREMIUM self-contained fittings

Z - electronic gear for addressable central battery fittings

SE - non maintained

RU - Rubic UNA central monitoring

FZLV2 - central battery FZLV II 48 VDCCB - central battery version monitoring


SR - stainless steel

WH - white color

GR - grey color

BL - black color

3.3 WALL SEG



Photography 16. WALL SEG fixture

SELF- CONTAINED CONFIGURATION						
CODE	POWER	MODULE	AUTONOMY [h]	MOD E	OPTION S	COLOR
WLES	2W	B	1, 3	SE	RU	WH, GR, BL
WLES						

CENTRAL BATTERY CONFIGURATION ADDRESSABLE					
CODE	POWER	MODULE	SYSTEM	OPTIONS	COLOR
WLES	2W	Z	CB	ADD	WH, GR, BL
WLES					

FZLV SYSTEM CONFIGURATION			
CODE	POWER	SYSTEM	COLOR
WLES	2W	FZLV2	WH, GR, BL
WLES			

LEGEND:

WLESL - dynamic fixture WALL SEG L

WLES - dynamic fixture WALL SEG

B - electronic gear for PREMIUM self-contained fittings

Z - electronic gear for addressable central battery fittings

SE - non maintained

RU - Rubic UNA central monitoring

FZLV2 - central battery FZLV II 48 VDC

CB - central battery version monitoring

WH - white color

GR - grey color

BL - black color

3.4 WALL SEG accessories

3.4.1 Two – sided ceiling bracket WLES/AC



Photography 17. WLES/AC

3.4.2 Two – sided wall bracket WLES/AW



Photography 18. WLES/AW

3.4.3 Accessory for pendant mounting WLES/PEN



Photography 19. WLES/PEN + WLES/AC + WLES

3.4.4 Ceiling bracket 1905




Photography 20. 1905

3.4.5 Wall bracket 1908




Photography 21. 1908

3.4.6 Wire guard



Photography 22. 1014


3.4.7 Ceiling bracket with pipe 2947



Photography 23. 2947

4 FLAT family

4.1 FLAT - EYE



Photography 24. FLAT EYE fixture

SELF- CONTAINED CONFIGURATION						
CODE	POWER	MODULE	AUTONOMY [h]	MOD E	OPTION S	COLOR
FLE	1W	B	1, 3	SE	RU	SR, WH, GR, BL

CENTRAL BATTERY CONFIGURATION ADDRESSABLE					
CODE	POWER	MODULE	SYSTEM	OPTIONS	COLOR
FLE	1W	Z	CB	ADD	SR, WH, GR, BL

FZLV SYSTEM CONFIGURATION			
CODE	POWER	SYSTEM	COLOR
FLE	1W	FZLV2	SR, WH, GR, BL

LEGEND:

FLE - dynamic fixture FLAT EYE
B - electronic gear for PREMIUM self-contained fittings
Z - electronic gear for addressable central battery fittings
SE - non maintained
ADD - fixture for CBS central battery
RU - Rubic UNA central monitoring
FZLV2 - central battery FZLV II 48 VDC
CB - central battery version monitoring
SR - stainless steel